



**UPGRADE TO THE NEW
GENERATION FLOORING**



Introducing Greenpanel Wood Floors

Greenpanel, (Green Floormax in its previous avatar), is India's largest manufacturer of wood panels. We are in the business of producing world-class Medium Density Fibre Board (MDF), Plywood, Decorative Veneers, Wood Floors and Doors. Our annual production capacity (more than 500,000 cubic meter MDF) sold at 3000 plus outlets has helped us become the largest manufacturer of MDF in the country.

With a new brand and vision, we are committed to usher in a new generation of wood solutions which include our hallmark flooring range - **Greenpanel Wood Floors.**

As your eyes take in the rich elegance of our floors, your feet will sense a smooth texture underneath. With a stunning array of textures and designs, our floors don't merely decorate but give your home a classic sheen. As you browse through our catalogue, you'll notice how art and function blend in every pattern. Go ahead, bask in the glow of nature.



INDEX

WHY
GREENPANEL
WOOD FLOORS
IS THE BEST
CHOICE FOR YOU? 5

HOW TO CHOOSE
THE RIGHT FLOOR
IN THREE
EASY STEPS 9

ALLOVER
DESIGNS 11

SILVER SAVANNAH	FL001
TOPAZ OAK	FL002
TIMBER TRAIL	FL003
CLASSIC OAK	FL004
KALAHARI OAK	FL005
VINTAGE OAK	FL006
LUSCIOUS NOUGAT	FL007
WINEWOOD OAK	FL008
COUNTRY OAK	FL009
AUTUMN WALNUT	FL010
HIMALAYAN MERBAU	FL011
SILVER STREAKS	FL012
EARTHERN APPLE	FL013
AMAZON WALNUT	FL014
TROPICAL WALNUT	FL017
SERENE SEPIA	FL018
SUNDERBAN WENGE	FL019
EARTHERN CHERRY	FL020
AFRICAN IVORY	FL021
PLUSH WALNUT	FL022
RUSSIAN RIPPLES	FL023
SHERWOOD DOZUKI	FL024

	CHERRY BRÛLÉE	FLP502					AR 101
	SERENGETI SHADOW	FLP503					AR 102
	TAVERN TRAILS	FLP504					AR 103
	ANTIQUE CADBURY	FLP505					AR 104
	SEPIA TEAK	FLP506	KNOW GREENPANEL WOOD FLOORS BETTER 25	HOW TO MAINTAIN YOUR FLOORING 26	THE BEST ACCESSORIES TO GO WITH 27	ACCESSORY DESIGNS 29	AR 105
	MYSTIQUE OAK	FLP507					AR 106
PLANKED DESIGNS 20	SAHARA GOLD	FLP508					RECOMMENDED ACCESSORY DESIGNS 31
	NOVA NOCE	FLP509					AR 107
	CRESCENT MOONLIGHT	FLP510					AR 108
	CROWNING MAPLE	FLP511					AR 109
	COFFEE GLORY	FLP512					AR 110
	DESERT SUN	FLP513					AR 111
	CITRUS CEDAR	FLP514					AR 112
	BROWNY WALNUT	FLP515					AR 113



Why Greenpanel Wood Floors Is The Best Choice For You?

Greenpanel Wood Floors comes with a warm wooden finish that gives your home a serene, inviting look.

The natural wood design gives the floor a very earthy look. Plus the specially engineered surface protection technology makes the floor sturdy, resistant to scratches, stains and water spills and lends it durability.

Add to this the ease of installation and you've got a winner in your hand. Did you know you also have the option of moving an entire floor from one room to another with the blink of an eye.

Unmatched Elegance

Looking for something contemporary and cozy? These Wood Floors, tick both the boxes. The wide variety of colours and textures coupled with unique surface designs, and precision craftsmanship give the entire flooring range a touch of class.

Technically Superior



The PERMACLICK™ system in Greenpanel Wood Floors has been developed especially for Greenpanel by Flooring Industries, Luxembourg. Their years of research combined with Greenpanel's extensive knowledge of the usage conditions specific to India, has made PERMACLICK™ one of the most advanced flooring interlocking system available in the country. This system gives Greenpanel Wood Floors an unmatched quality and finish. What's more, it makes the installation process very easy.



Greenpanel Wood Floors come with MAX SHIELD – A unique scratch resistant protection technology that shields it against wear and tear. This specially-engineered surface coating makes floors manifold stronger and resistant to surface scratches.



Greenpanel Wood Floors is engineered with SONIC SPONGE – An advanced technology that allows the sound absorbent backing layer to reduce sound transmission and produce only a solid and pleasant sound underfoot.



The high density fibreboard at the core of Greenpanel Wood Floors makes them sturdier and more durable than any other flooring alternative. More so, Greenpanel manufactures the highest quality fibreboard in-house at the same manufacturing location as the rest of the flooring components, ensuring very stringent quality parameters for the base core.



Our surface protection technology ensures dirt doesn't cling to your floor while our precise interlocking system PERMACLICK™ binds the planks perfectly, allowing absolutely no room for dust to accumulate.

Permaclick™ - The Most Superior Click Lock System

Unlike many floors, Greenpanel Wood Floors do not have beveled edges or a V-Groove, rather a 90-degree edge between two planks.

Due to imperfections in the manufacturing process of unlicensed interlocking systems made by other manufacturers, two adjoining wood planks do not sit level but are at different heights. This results in the edge of one plank being higher than that of its adjoining plank (FIG. 1).

In such a situation, a 90-degree angle results in a very sharp edge, creating a risk of injury when walking barefoot or a risk of tripping. To overcome this imperfection of the profile, the edges are beveled or shaped in a V-Groove to provide a gentler angle between the planks (FIG. 3).




The process of beveling or V-Grooving involves trimming of each 90-degree edge, resulting in the removal of the high abrasive resistant layer and the decorative design layer which exposes the inner HDF core of the flooring (FIG. 3). Since the protective layers get removed, this makes the HDF core highly susceptible to water ingress as well as accumulation of dirt.

Due to the unique PERMACLICK™ interlocking system of Greenpanel Wood Floors, the edges are always level. There are no surface imperfections or edges sticking out.

This means Greenpanel Wood Floors have 90-degree edges that are safe, locked together with no portion of inner HDF core exposed. As a result, the floor is highly resistant to water ingress and dust accumulation.

Greenpanel Wood Floors have a unique angle snap method of layout that fits the planks together at a 90-degree angle for a perfect seamless finish.

The tensile strength of the click system seals off the floor with an airtight finish that doesn't let liquid seep in and provides superior protection against moisture. As a result, our floors are more durable with minimal wear and tear.



Convenient

EASY TO INSTALL

Thanks to our PERMACLICK™ system, installation can be completed in no time. Just snap the planks together and it's done.

SEAMLESS LAYOUT

Our linking technology leaves no annoying gaps or crevices, leaving you with a level, beautiful-looking floor. There just won't be any place for dirt and dust to accumulate.

ANTI-WARP

Since the top layer on Greenpanel Wood Floors is resistant to heat and temperature changes, there

won't be any uncharacteristic bending or twisting of the wooden planks. Your floor will always stay solid and level.

EASILY REMOVABLE / CHANGEABLE / REINSTALLABLE

Switching floors just involves removing the planks and installing them elsewhere. Carry your floors with you anytime, anywhere.

Commercial Application

Greenpanel Wood Floors Plus, the AC4 grade flooring range, is high abrasion resistant with a thicker surface protection layer and cost-effective making them an ideal choice for commercial spaces like offices, retail stores and hotels. The great thing is

that these floors are easy to install and can be laid over nearly every subfloor (be it concrete, stone, vinyl or ceramic) as long as it is level, clean and dry.



How To Choose The Right Floor In Three Easy Steps?

Selecting a design may seem overwhelming, but with us it isn't. Floors can be easily picked to complement your interior décor. An earthy, rugged wood design will bring your space closer to nature while smoother, lighter and softer grains will lend a subtle elegance that's chic and urban. Choosing a lighter wood colour will make a confined space look larger and more open while darker shades will make a large room appear cozy and intimate. Also, do consider the tones of your furniture and walls for making a perfect complementary choice and achieving the right balance in your interior décor.

Greenpanel Wood Floors offers you an array of designs in authentic, rich wood species and textures that accentuate the natural look of wood grains, lending incomparable warmth to your home.

Here's a basic guide on what to keep in mind while selecting your floor

1

Choose Your Design

ALLOVER DESIGN

A distinct collection of floor designs of exotic wood grains in every single tile format. This flooring style leaves you with an open and unfettered look.

PLANKED DESIGN

A unique flooring collection with a handcrafted appeal. Each wooden tile is put together in an array of 2-3 slim tiles, interspersed with grains and crown, creating a rich and intricate canvas of natural woods.

2

Choose Your Texture

OPEN GRAIN

Straight Line Effect

CROWN

Curvy Dynamic Effect

3

Choose Your Grade

AC3

Recommended for residential and low footfall areas.

AC4

Recommended for commercial and office spaces or high traffic areas like retail outlets and malls.

Allover Designs

A distinct collection of floor designs of exotic wood grains in every single tile format. This flooring style leaves you with an open and unfettered look.

Greenpanel Wood Floors Design Range



SILVER SAVANNAH

FL001



TOPAZ OAK

FL002



TIMBER TRAIL


FL003



CLASSIC OAK


FL004

Greenpanel Wood Floors Design Range



KALAHARI OAK

FL005




VINTAGE OAK

FL006



LUSCIOUS NOUGAT

FL007



WINEWOOD OAK

FL008

Greenpanel Wood Floors Design Range



COUNTRY OAK

FL009



AUTUMN WALNUT

FL010



HIMALAYAN MERBAU

FL011



SILVER STREAKS


FL012

Greenpanel Wood Floors Design Range



EARTHERN APPLE

FL013



AMAZON WALNUT

FL014



TROPICAL WALNUT

FL017



SERENE SEPIA

FL018

Greenpanel Wood Floors Design Range



SUNDERBAN WENGE

FL019



EARTHEN CHERRY

FL020



AFRICAN IVORY

FL021



PLUSH WALNUT

FL022

Greenpanel Wood Floors Design Range



RUSSIAN RIPPLES

FL023



SHERWOOD DOZUKI

FL024



Planked Designs

A flooring collection, like no other. Artisanal and handcrafted in its appeal. Each wooden tile is put together in an array of 2-3 slim tiles, interspersed with grains and crown, transforming your floor into an exquisite masterpiece of natural wood.

Greenpanel Wood Floors Design Range



CHERRY BRÛLÉE

FLP502



SERENGETI SHADOW

FLP503



TAVERN TRAILS

FLP504



ANTIQUE CADBURY

FLP505

Greenpanel Wood Floors Design Range



SEPIA TEAK

FLP506



MYSTIQUE OAK

FLP507



SAHARA GOLD

FLP508



NOVA NOCE


FLP509

Greenpanel Wood Floors Design Range




CRESCENT MOONLIGHT

FLP510



CROWNING MAPLE

FLP511



COFFEE GLORY

FLP512



DESERT SUN

FLP513

Greenpanel Wood Floors Design Range



CITRUS CEDAR

FLP514



BROWNY WALNUT

FLP515

Know Greenpanel Wood Floors Better

LAYERS

TOP LAYER

High abrasion
resistance overlay

SECOND LAYER

Decorative
design layer

MIDDLE LAYER

100% hardwood
HDF core


BASE LAYER

Moisture resistant
backing layer

STRUCTURE

High abrasion
resistance overlay

Decorative
design layer



100% hardwood
HDF core

Moisture resistant
backing layer

RANGE

TEXTURES

Open grain finish
Crown finish

THICKNESS

8 mm / 12 mm*

DESIGNS

Planked
Allover

GRADES/APPLICATIONS

AC3 [Residential/Light Commercial]
AC4 [Commercial Space]

*Subject to minimum order quantity.

How To Maintain Your Floors

Greenpanel Wood Floors are easy to maintain and clean. The laminated top layer on each floor makes it so much simpler to keep it spic and span year after year. These floors do not need any special cleaning agents or methods, just a squeezed out damp mop will do. If a Plank undergoes damage, you don't need to worry too much, just replace that particular Plank and your floor is as good as new.

FEW THINGS TO KEEP IN MIND WHILE CLEANING GREENPANEL WOOD FLOORS

Sweep the floor using a standard dust mop to remove dirt and dust. When necessary wipe the floor with a squeezed out damp cloth, using only water.

In case of spills, just wipe the floor with a dry cloth. Do not use any soap-based detergents or household cleaners to clean the floor.


The surface of your flooring requires no additional treatment. No need to use wax, polish, oil or varnish on the floor. Do not use any type of abrasive cleaners or steel wool which may damage your floor.

Use felt pads/rubber feet under furniture legs to avoid scratching and do not drag when moving furniture. Entry mats will help in collecting sand, dirt, grit and other substances, that may otherwise harm your floor.


The Best Accessories To Go With

Add the perfect finishing touch with Greenpanel Wood Floors skirting and profiles. To complete the look of your stunning floor, you can choose from a wide range of designs that match every floor and style.

SKIRTING




Provides finish to the floors by cladding the lower part of the adjoining walls.



STAIR NOSE



Covers the open edges of the floor planks and provides a seamless transition between the horizontal and vertical sections of the staircase.




T-PROFILE



Connects two sections of the floor at the same height.

Greenpanel Wood Floors




Base Floor

REDUCER



Provides a smooth transition from the floor to a lower surface such as tiled floor or carpet.

Greenpanel Wood Floors




Base Floor

BEADING



Creates a border between the floor and adjoining walls. Can be used as an alternate to skirting where skirting is not used.

Wall



Greenpanel Wood Floors

Base Floor


UNDERLAY

Greenply premium 2-in-1 underlay is a combination of a 2 mm underlay and a PE foil. With the ease of just rolling out the underlay, you can level the subfloor irregularity, as well as reduce the risk of transferring humidity from the subfloor to the floor panels.


Greenpanel Wood Floors Design Range




ACCESSORY DESIGN CODE: AR101




ACCESSORY DESIGN CODE: AR102




ACCESSORY DESIGN CODE: AR103



ACCESSORY DESIGN CODE: AR104



ACCESSORY DESIGN CODE: AR105



ACCESSORY DESIGN CODE: AR106


Greenpanel Wood Floors Design Range



ACCESSORY DESIGN CODE: AR107



ACCESSORY DESIGN CODE: AR108




ACCESSORY DESIGN CODE: AR109




ACCESSORY DESIGN CODE: AR110



ACCESSORY DESIGN CODE: AR111



ACCESSORY DESIGN CODE: AR112



ACCESSORY DESIGN CODE: AR113

Recommended Design Range

ALLOVER DESIGNS

Greenpanel Wood Floors Design Code	Greenpanel Wood Floors Design Name	Recommended Accessories Code
FL001	Silver Savannah	AR 106
FL002	Topaz Oak	AR 112
FL003	Timber Trail	AR 103
FL004	Classic Oak	AR 101
FL005	Kalahari Oak	AR 101
FL006	Vintage Oak	AR 104
FL007	Luscious Nougat	AR 104
FL008	Winewood Oak	AR 105
FL009	Country Oak	AR 104
FL010	Autumn Walnut	AR 108
FL011	Himalayan Merbau	AR 107
FL012	Silver Streaks	AR 104
FL013	Earthern Apple	AR 103
FL014	Amazon Walnut	AR 102
FL017	Tropical Walnut	AR 103
FL018	Serene Sepia	AR 105
FL019	Sunderban Wenge	AR 102
FL020	Earthern Cherry	AR 113
FL021	African Ivory	AR 104
FL022	Plush Walnut	AR 103
FL023	Russian Ripples	AR 101
FL024	Sherwood Dozuki	AR 103

Recommended Design Range

PLANKED DESIGNS

Greenpanel Wood Floors Design Code	Greenpanel Wood Floors Design Name	Recommended Accessories Code
FLP502	Cherry Brûlée	AR 110
FLP503	Serengeti Shadow	AR 107
FLP504	Tavern Trails	AR 101
FLP505	Antique Cadbury	AR 103
FLP506	Sepia Teak	AR 107
FLP507	Mystique Oak	AR 106
FLP508	Sahara Gold	AR 105
FLP509	Nova Noce	AR 101
FLP510	Crescent Moonlight	AR 106
FLP511	Crowning Maple	AR 103
FLP512	Coffee Glory	AR 104
FLP513	Desert Sun	AR 111
FLP514	Citrus Cedar	AR 109
FLP515	Browny Walnut	AR 103








Regd. Office:

Greenply Industries Limited,
Makum Road, Tinsukia 786125, Assam
CIN L20211AS1990PLC003484

Sales & Operations Office:

3rd Floor, Plot No. 68,
Sector 44, Gurgaon 122003, Haryana
T 0124 4784600 **F** 0124 4784699
E woodfloors@greenpanel.com **W** www.greenpanel.com
Toll Free No. 1800 102 2999
(Monday to Friday except holidays 10am to 5 pm)

Connect with us on  and 